

Technical Data Sheet

Evencure CCC Clay Concrete Cure

Description

Evencure CCC is a unique and environmental system for curing ALL types of concrete used in construction. It is based on an organic alkaline reactive clay. This unique clay remains as a liquid until placed upon an alkaline surface. Once Evencure CCC is placed on fresh concrete the clay “stiffens” up trapping moisture between the concrete substrate and the clay base. Once dried the surface of the coating becomes trafficable whilst protecting the concrete works.

As the concrete dries out (cures), over a period of 3-14 days, the moisture from the Evencure CCC is also dried out, allowing the coating to begin to revert to a clay powder. This powder is then easily removed from the concrete surface allowing for additional aftertrades.

Application

Evencure CCC is recommended to be applied at a “familiar” rate of 5 square metres per litre, as soon as bleed water is dispersed, through all types of spray systems, rolled or painted to the surface.

Evencure CCC dries in approximately 3 hours and is foot trafficable after 5 hours.

The time required for the Evencure CCC to revert to a powder depends on the moisture still retained between the concrete substrate and the coating. As the moisture dries out the concrete, Evencure CCC also dries out to a natural earth-based powder.

NOTE: Evencure CCC is NOT a curing membrane. It is an organic clay used for curing concrete and formulated to meet the requirements of wet sand curing, damp hessian curing, damp clay curing and ponding specifications.

IT IS HIGHLY RECOMMENDED THAT APPLICATORS TEST ANY EVENRANGE SYSTEM BEFORE APPLICATION TO ENSURE COMPABILITY AS EACH SURFACE PROFILE VARIES WITH INDIVIDUAL CONDITIONS.

Available in 20lt, 200lt and 1000lt containers.

Special Features

Due to its unique formulation Evencure CCC is a completely environmental cure system for concrete. Utilizes natural clay-based minerals reacting with specific minerals to increase ALL properties of the treated, freshly placed concrete.

Features

- Suitable for ALL types of concrete used in construction
- Does not require UV to breakdown
- Has NO odour
- Contains NO solvents, resins, silicates, waxes, or any other type of polymer
- Easily removed at anytime by brooming, pressure washing or mechanical scrubbing
- Clean up with water

Contact

EVENRANGE PTY LTD
12 Frankston Gardens Drive
CARRUM DOWNS. Vic 3201 Aust
Phone 03 9782 3233
www.evenrange.com.au
ABN 92 062 754 545